The water serving has been tested and meets all Federal and State standards. 00121624 **Your Location** 

#### The water quality monitoring results are presented below.

The water sources serving this address are:

Source Name	Origin of Water	Treatment	Region
a) Kaluanui Wells	Groundwater	Chlorination	2
b) Maakua Well	Groundwater	Chlorination	2
c) Punaluu Wells II	Groundwater	Chlorination	2
d) Waihee Tunnel	Groundwater	Chlorination	2
e) Waimanalo Tunnels I-IV	Groundwater	Chlorination	2
f) Waimanalo Well II	Groundwater	Chlorination	2

#### Source Water Monitoring

The substances detected in these sources are shown below. If a substance is not shown, then it was not detected.

#### Regulated Contaminants (2)

	Sample		Highest	Rai	nge	MCL	MCLG	
Contaminant	Year	Unit	Average	Minimum	Maximum	(Allowed)	(Goal)	Found in Sources
Barium	2023	ppm	0.008	0.002	0.008	2.000	2.000	a,b,c,d,e
Beta/Photon Emitters	2021	pCi/L	3.000	3.000	3.000	50 *	0.000	С
Chromium	2023	ppb	2.000	1.200	2.000	100.000	100.000	All Sources
Nitrate	2023	ppm	0.410	0.160	0.410	10.000	10.000	a,b,d,e,f

Definitions: MCL

MCLG

Maximum Contaminant Level. The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible

using the best available treatment technology.

Maximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected risk to health. MCGLs allows for a margin of safety.

**Granular Activated Carbon Filtration** 

Health Advisory An estimate of acceptable drinking water levels for a chemical substance based on health effects information. Health advisory is not a legally

CFU/100ml

Colony forming units per 100 milliliter Millirems Per Year (A measure of Radiation) mrem/yr

Picocuries Per Liter (A measure of Radioactivity) pCi/L

Parts per billion or Micrograms per liter

Parts per million or Milligrams per liter ppm Parts per trillion or Nanograms per liter

Not Quantifiable (<means "less than")

Not Yet Applicable N/A Not Applicable

ND Not Detected

EPA considers 50 pCi/L to be the level of concern for beta particles

Secondary Maximum Containment Levels (SMCLs) are standards established as guidelines to assist public water systems in managing the aesthetics quality (taste, odor, and color) of drinking water. EPA does not enforce SMCLs.

(1) Analysis by the State of Hawaii Department of Health

Analysis by the Honolulu Board Of Water Supply. Questions, call 748-5370. (2)

Results from UCMR5 monitoring

This contaminant is considered in EPA's Hazard Index (HI) calculation, a cumulative health risk to be considered when multiple compounds are present, even if individual MCLs are met. The Hazard Index (HI) is the sum of the ratios of respective contaminants and the EPA requirement is for this sum of ratios to be less than 1 (unitless) to be in compliance. See: https://www.epa.gov/system/files/documents/2023-03/Hows20dx20fx20calculatex20thx20thx20thazardx20Index\_3.14.23.pdf

LRAA Locational running annual average is the average of sample analytical results for samples taken at a particular monitoring location during the previous four calendar quarters.

Maximum residual disinfectant level: The highest level of a disinfectant allowed in drinking water.

MRDLG Maximum residual disinfectant level goal: The level of a drinking water disinfectant below which there is no known or expected risk to health. Unregulated Contaminants (Do not have designated maximum limits but require monitoring)

	Tested	Sample		Highest	Range		Health	
Contaminant	Ву	Year	Unit	Average	Minimum	Maximum	Advisory	Found in Sources
Bromoform	(2)	2023	ppb	1.200	1.200	1.200	0.000	С
Chlorate	(2)	2023	ppb	39.000	15.000	39.000	210.000	All Sources
Chloride	(2)	2023	ppm	240.000	16.000	240.000	250 **	All Sources
Chromium, Hexavalent	(2)	2023	ppb	2.200	1.200	2.200	13.000	All Sources
Sodium	(2)	2023	ppm	39.000	13.000	39.000	60.000	All Sources
Strontium	(2)	2022	ppb	270.000	49.000	270.000	4000.000	All Sources
Sulfate	(2)	2023	ppm	25.000	2.600	25.000	250 **	All Sources
Vanadium	(2)	2022	ppb	23.000	5.000	23.000	21.000	All Sources

### **Distribution System Monitoring**

Disinfection By-Products (2)

System Name	Contaminant	Sample Year	Unit	Min	Max	Highest LRAA	MCL (Allowed)	MCLG (Goal)
Honolulu-Windward-Pearl Harbor	Total Trihalomethanes	2023	ppb	0.00	15.00	11.80	80	None
	Haloacetic Acids (HAA5)	2023	ppb	0.00	0.00	0.00	60	None

#### Microbial Contaminants (2)

System Name	Contaminant	Number of positive E. coli samples found	Violation (Yes/No)	Number of assessments required to perform	Major sources in drinking water
Honolulu-Windward-Pearl Harbor	E. coli	1	No	0	Human and animal fecal waste

Level 1 Assessment: A Level 1 assessment is a study of the water system to identify potential problems and determine (if possible) why total coliform bacteria have been found in our water system. Level 2 Assessment: A Level 2 assessment is a very detailed study of the water system to identify potential problems and determine (if possible) why an E. coli MCL violation has occurred and/or why total coliform bacteria have been found in our water system on multiple occasions.

#### Residual Chlorine (2)

System Name	Sample Year	Unit	Lowest Monthly Average	Highest Monthly Average	Running Annual Average	MRDL	MRDLG
Honolulu-Windward-Pearl Harbor	2023	ppm	0.29	0.32	0.30	4	4

#### Lead/Copper Testing (2)

	Sample		90th Percentile Reading		Action	# Samples Above
Contaminant	Year	Unit	January - June	July - December	Level	Action Level
Lead	2023	ppb	ND	ND	15.000	0
Copper	2023	ppm	0.050	0.061	1.300	0

See: https://www.boardofwatersupply.com/water-quality/lead-copper-rule

No violations found for calendar year 2023

Date Report Printed: 5/08/2024

#### 2 0 2 3 ANNUAL

# WATER **QUALITY** REPORT

Federal and state law requires testing your drinking water for many different types of contaminants.

This report contains test results showing your water is safe to drink and meets all federal and state requirements. If a contaminant is **not listed**, then it was not detected.



# **Board of Water Supply**

City and County of Honolulu 630 South Beretania Street Honolulu, Hawaii 96843 www.boardofwatersupply.com Federal and state law requires testing your drinking water for many different types of contaminants. Below is a complete list.

# **Regulated Primary Contaminants**

Acrylamide 2,4-D Fecal coliform Selenium Alachlor Simazine Dalapon Fluoride Alpha emitters Di (2-ethylhexyl)adipate Glyphosate Styrene

Antimony Tetrachloroethylene (PCE) Dibromochloropropane (DBCP) Haloacetic Acids (HAAs)

Total Trihalomethanes (TTHMs)

Arsenic o-Dichlorobenzene Heptachlor Thallium Heptachlor epoxide Asbestos (>10 micron) p-Dichlorobenzene Toluene Atrazine Hexachlorobenzene Total coliform 1.2-Dichloroethane

1,1-Dichloroethylene Hexachlorocyclopentadiene Benzene cis-1,2-Dichloroethylene Lead Toxaphene

trans-1,2-Dichloroethylene 2,4,5-TP Beryllium Lindane Dichloromethane 1,2,4-Trichlorobenzene Beta/photon emitters Mercury (total) Bromate 1,2-Dichloropropane (DCP) Methoxychlor 1.1.1-Trichloroethane Cadmium 1.1.2-Trichloroethane Dinoseb Nitrate (as N) Carbofuran Dioxin Nitrite (as N) Trichloroethylene (TCE)

Carbon tetrachloride Di(2-ethylhexyl)phthalate Oxamyl (Vydate) 1,2,3-Trichloropropane (TCP) Chlordane Diquat PCBs Turbidity Chlorite Endothall Pentachlorophenol Uranium

Endrin Chlorobenzene Picloram Vinyl chloride Chromium (total) Epichlorohydrin Polyaromatic hydrocarbons Xylenes (total)

Copper Ethylbenzene [benzo(a) pyrene] Cyanide Ethylene dibromide (EDB) Radium 226 + 228

# **Unregulated Contaminants**

Barium

Chromium, hexavalent Per-and polyfluoroalkyl substances Sodium Boron DCPA Mono/Di-acid degradates (PFAS) such as perfluoropentanoic Bromacil Strontium Bromoform Dieldrin acid (PFPeA), perfluorooctanoic acid Sulfates HAA6Br (PFOA), perfluorohexanesulfonic Vanadium 1-Butanol

Chlorate HAA9 acid (PFHxS) and other similar

Chloride chemicals Manganese Chlorodifluoromethane Methyl t-Butyl Ether (MTBE) Radon

**Measurements** in this report, one part per million (ppm) is the same as one milligram of the substance in one liter of water (mg/L). To put this into perspective, one part per million is approximately one second in 11.5 days. One part per billion (ppb) is even smaller! - about 1 second in 31.7 years.

## Is My Drinking Water Really Safe?

Yes, we take our responsibility to provide safe drinking water very seriously. Like you, we drink the same water and share the same concerns about its quality. Islandwide, the Board of Water Supply (BWS) operates over 94 water sources that are located among nine different water regions. Your tap water generally comes from those sources located within your area and not from all 94. The report shows the name of the source(s) serving your area and the region it is located in.

Each year, these sources and systems are tested for more than 80 different types of contaminants by the BWS.

The sources serving your area did not contain any of the listed contaminants except for the ones shown on the report. In all cases, the amounts found are fully compliant with the standards for safe drinking water.

### **Drinking Water Standards and Testing**

In order to ensure that tap water is safe to drink, the Environmental Protection Agency (EPA) prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health. A contaminant is any substance that may pose a potential health concern if present in very large quantities.

The regulations require testing tap water for many different categories of contaminants. One category is the regulated or primary contaminants. Each has a maximum contaminant goal and maximum contaminant level. The **Maximum Contaminant Level Goal** (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. The **Maximum Contaminant Level** (MCL) is the highest level of a contaminant that is allowed in drinking water. This limit is the standard for safe drinking water and is set by federal and/or state health agencies. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

The regulations also have testing requirements for certain unregulated contaminants. Health agencies generally do not specify MCLs or MCLGs for unregulated contaminants. However, they may establish an **action level** which is the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

The rules also require testing the water in the distribution system (for trihalomethanes and coliform bacteria) and at the consumer's tap (for lead and copper).

Each contaminant category has its own monitoring frequency established by regulation. The testing is performed either annually, every two years or every three years as determined by federal and state drinking water regulations.

# **Where Does My Water Come From?**

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. On Oahu, drinking water begins as rain falling over the Koolau and Waianae Mountain

ranges. Because volcanic rock is porous, much of this rain is naturally filtered through the ground on its way to large underground formations called aquifers.

As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals, radioactive material, and substances resulting from the presence of animals or from human activity.

Source Water Assessments, reports that evaluate the susceptibility of our drinking water sources to pollution, have been completed as of 2004. These reports are available for review by calling Erwin Kawata at (808) 748-5080.

## **BWS Water Sources and Systems**

The Board of Water Supply operates and maintains over 94 water sources that combine to deliver an average of 145 million gallons of water per day.

The water is supplied through a distribution system that contains over 2,100 miles of pipeline and 171 reservoirs. The entire system is monitored 24 hours a day.

# What Kinds of Contaminants are a Concern to Drinking Water?

Contaminants that may be present in source water include:

**Microbial contaminants**, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

**Inorganic contaminants**, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

**Pesticides and herbicides**, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.


**Organic chemical contaminants**, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.

Radioactive contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants.

The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline 1-800-426-4791 or the DOH at (808) 586-4258.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised individuals such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their healthcare providers. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection



by cryptosporidium are available from the EPA's Safe Drinking Water Hotline at 1-800-426-4791 or the DOH at (808) 586-4258.

# What Kinds of Contaminants Have Been Found in Oahu's Water?

Below is a list of substances that have been found in Oahu's water and their possible sources. See the water quality report for the substances found in your water. In all cases, the amounts present are fully compliant with the standards.

**Alpha** and **beta activity** occur naturally in groundwater from the erosion of natural deposits and decay of natural and man-made deposits.

**Antimony** is found in discharge from petroleum refineries, fire retardants, ceramics, electronics, and solder.

**Arsenic** may occur from the erosion of natural deposits; runoff from orchards, runoff from glass, and electronics production wastes.

**Atrazine** may occur from runoff from herbicide used on row crops.

**Barium** may occur naturally in groundwater from the erosion of natural deposits.

**Boron** is a mineral found in food and the environment. It occurs naturally in rocks, soil, and seawater and is also used in vitamin supplements.

**Bromacil** is a broad-spectrum herbicide used for weed control in citrus and pineapple.

**Bromide** occurs naturally in the environment and is not being considered for regulation.

**1-Butanol** is used as a solvent in paints, surface coatings, lacquers, thinners, pharmaceutical formulations, waxes, and resins. The testing of this contaminant is currently being performed and reported under the Fourth Unregulated Contaminant Monitoring Rule (UCMR4). The purpose of UCMR4 is to collect data on contaminants that may be present in drinking water. The United States Environmental Protection Agency then uses this information to decide if changes to the regulations are needed.

Carbon tetrachloride is an organic chemical that may occur in drinking

water from discharge from chemical plants and other industrial activities.

**Chlorate** is a byproduct of the drinking water disinfection process that forms when using sodium hypochlorite. According to EPA, chlorate levels more than 210 parts per billion may be a health concern.

**Chlordane** is a residue of a banned termiticide.

**Chloride** is a common element in the environment that occurs widely in soils, plants, water, and foods. It is most commonly found in nature as a salt of sodium called sodium chloride better known as table salt.

**Chlorodifluoromethane** also known as R-22, is a gas used for cooling in refrigeration and air conditioning systems.

**Chromium** may occur naturally in groundwater from the erosion of natural deposits.

**Chromium, Hexavalent** also known as chromium 6 is a chemical form of chromium that occurs naturally in rocks, animals, plants, soil, and in volcanic dust and gases. Water sources can be affected by hexavalent chromium naturally, or through contamination plumes from industrial centers, landfills, and improper discharge of industrial processing streams. EPA has not yet determined if low levels of hexavalent chromium in drinking water are a health risk.

**Copper** may occur in tap water from new or the corrosion of household copper plumbing systems, erosion of natural deposits, or leaching from wood preservatives.

**DCPA Mono/Di-acid degradates** are environmental breakdown products of the herbicide DCPA also known as Dacthal. DCPA is used to control weeds in ornamental turf and plants, strawberries, seeded and transplanted vegetables, cotton, and field beans.

Di (2-ethyhexyl) phthalate is found in discharge from rubber and chemical factories.

**Dibromochloropropane** (DBCP) is an organic chemical formerly used in Hawaii as a soil fumigant in pineapple cultivation and a petroleum additive. It has been found in several groundwater wells in Central Oahu.

**1,2-Dichloropropane** (DCP) is an organic chemical used as a solvent and pesticide that may occur in drinking water by leaching into groundwater. It also may come from improper waste disposal and discharge from industrial chemical factories.

**Dieldrin** is an organic chemical once used as a pesticide for controlling ground termites and may occur in drinking water by leaching into groundwater.

**Ethylene dibromide** (EDB) is an organic chemical formerly used in Hawaii as a soil fumigant in pineapple cultivation and petroleum additive. It has been found in some groundwater wells in Central Oahu.

**Fecal coliform bacteria** and **E. Coli** can be found in human and animal fecal waste and may also be found in soil.

**Fluoride** occurs naturally in groundwater. According to EPA, it may also come from the erosion of natural deposits or discharged from fertilizer and aluminum factories. It can be a water additive that promotes strong teeth. BWS does not add fluoride.

HAA6Br are disinfection byproducts that are formed when chlorine is added to disinfect drinking water react with naturally occurring organic and inorganic matter present in water. The six brominated haloacetic acids (HAA6Br) are Bromochloroacetic Acid, Bromodichloroacetic Acid, Dibromoacetic Acid, Dibromoacetic Acid, Monobromoacetic Acid, and Tribromoacetic Acid. HAA6Br is currently being tested and reported under the Fourth Unregulated Contaminant Monitoring Rule (UCMR4). The purpose of UCMR4 is to collect data on contaminants that may be present in drinking water. The United States Environmental Protection Agency then uses this information to decide if changes to the regulations are needed.

HAA9 are disinfection byproducts that are formed when chlorine or chloramine is added to disinfect drinking water react with naturally occurring organic and inorganic matter present in water. The nine haloacetic acids (HAA9) are Bromochloroacetic Acid, Bromodichloroacetic Acid, Chlorodibromoacetic Acid, Dibromoacetic Acid, Dichloroacetic Acid, Monobromoacetic Acid, Tribromoacetic Acid, and Trichloroacetic Acid. HAA9 is currently being tested and reported under the Fourth Unregulated Contaminant Monitoring Rule (UCMR4). The purpose of UCMR4 is to collect data on contaminants that may be present in drinking water. The United States Environmental Protection Agency then uses this information to decide if changes to the regulations are needed.

**Haloacetic Acids** (HAAs) and **Total Trihalomethanes** (TTHMs)[such as bromoform, bromodichloromethane, and dibromochloromethane] are by-products of drinking water chlorination.

**Heptachlor epoxide** is an organic chemical formed by the chemical and biological transformation of heptachlor in the environment. Heptachlor was once used as a non-agricultural insecticide. Heptachlor and its epoxide adsorbs strongly to soil.

**Lead**—If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. BWS is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may choose to have your water tested by contacting private laboratories that are certified by the State for doing drinking water analyses. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Manganese is a naturally-occurring element that can be found ubiquitously in the air, soil, and water. It is also used in the manufacturing of steel alloys, ceramics, glass, and as a food additive. The United States Environmental Protection Agency secondary drinking water maximum contaminant limit (SMCL) for manganese is 0.05 milligrams per Liter (50 parts per billion). Concentrations in water above the SMCL may create black to brown color staining and a bitter metallic taste.

**Methyl t-Butyl Ether** (MTBE) is used in gasoline to reduce auto emissions. **Nitrate** (as nitrogen) occurs naturally in groundwater. According to EPA,

nitrates may come from runoff from fertilizer use or leaching from septic tanks, sewage, or erosion of natural deposits. Nitrate in drinking water at levels above 10 parts per million (ppm) is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider if the nitrate level is between 5 to 10 ppm.

**Nitrite** (as nitrogen) occurs naturally in groundwater. According to EPA, nitrites may come from runoff from fertilizer use or leaching from septic tanks, sewage, or erosion of natural deposits. Nitrite levels in drinking water in excess of the MCL could cause serious illness or be fatal to infants below the age of six months.

Perfluoropentanoic acid (PFPeA) , perfluorooctanoic acid (PFOA) and perfluorohexanesulfonic acid (PFHxS) and other similar chemicals known as perfluoroalkyl substances (PFAS) have been used extensively in consumer products such as carpets, clothing, fabrics for furniture, paper packaging for food, and other materials (for example, cookware) designed to be waterproof, stain-resistant or non-stick. They have been used in fire-retarding foam and can be found in food packaging, consumer products, house dust, and drinking water.

**Radium** occurs naturally in groundwater from the erosion of natural deposits.

**Radon** is a naturally-occurring radioactive substance found everywhere on earth. It is a colorless, odorless gas produced from the natural decomposition of uranium. Because radon is a gas, it can move from water to the air in the course of dishwashing, showering, and other water-using activities. In the atmosphere, radon is harmless because it is diluted. However, in enclosed spaces such as basements, radon levels can build up. Appropriate ventilation is the best way to prevent indoor air accumulation of radon.

**Selenium** is found in discharge from petroleum and metal refineries, erosion of natural deposits, and discharge from mines.

Simazine may occur from herbicide runoff.

**Sodium** is a common element in the environment that occurs widely in soils, plants, water, and foods. It is also found in personal care products, foods, nutritional supplements, and medications.

**Strontium** is an alkaline earth metal that occurs naturally in the environment. Air, dust, soil, foods, and drinking water all contain small amounts of strontium. Ingestion of small amounts of strontium is not harmful. According to EPA, strontium levels more than 4000 parts per billion per day may lead to negative health effects. There is no evidence that drinking water with trace amounts of naturally-occurring strontium is harmful.

**Sulfates** are naturally occurring substances that are found in minerals, soil, and rocks. They are present in ambient air, groundwater, plants, and food. The principal commercial use of sulfate is in the chemical industry. Sulfates are discharged into water in industrial wastes and through atmospheric deposition. According to the United States Environmental Protection Agency, studies suggest sulfate levels more than 500 mg/L can act as a mild laxative.

**Tetrachloroethylene** (PCE) is used in dry cleaning, textile processing and as a degreaser. It can be discharged from factories and dry cleaners.

**Total coliform bacteria** are naturally present in the environment.

**Trichloroethylene** (TCE) is an organic chemical that may come from metal degreasing sites and other factories.

**1,2,3-Trichloropropane** (TCP) is an organic chemical formerly used as a soil fumigant in agriculture and as a gasoline additive. It has been found in a number of wells in Central Oahu.

**Uranium** occurs from the erosion of natural deposits.

**Vanadium** is a metal that naturally occurs in many different minerals and in fossil fuel deposits. Exposure to vanadium is very common, as it is a naturally occurring element that is found in many parts of the environment including at low levels in many foods. According to EPA, levels more than 21 parts per billion per day may lead to negative health effects. There is no federal drinking water standard for vanadium at this time.

#### Where Can I Get More Information?

Visit our website at **boardofwatersupply.com** or call Erwin Kawata at (808) 748-5066. You can also reach us by e-mail at contactus@hbws.org. For information about the following topics, call:

# **Environmental Protection Agency**

## **State Department of Health**

State and Federal drinking water standards, Hawaii drinking water monitoring/compliance, health effects

Safe Drinking Water Branch......(808) 586-4258

## **How Can I Get Involved?**

The Board meets at 2:00 p.m. on the fourth Monday of each month at the Board of Water Supply, 630 South Beretania Street, Honolulu, Hawaii. You are invited to participate in these meetings. For copies of Board meeting schedules and minutes, call (808) 748-5061 or visit www.boardofwatersupply.com.



# **Board of Water Supply**

630 South Beretania Street • Honolulu, HI 96843 www.boardofwatersupply.com

# 2 0 2 3 A N N U A L

# WATER QUALITY REPORT

Supplemental Information

A separate report, containing the results of tests performed on samples of your water, accompanies this Supplemental Information.



# **Board of Water Supply**

City and County of Honolulu 630 South Beretania Street • Honolulu, HI 96843 www.boardofwatersupply.com